DEALER PICTORIAL

PRICES

EFFECTIVE MARCH 15, 1962 *SUPERSEDES NOV. 1, 1960*

CABLE & STRAP ASSORTMENTS	1
CABLES & STRAPS	2
SPARK PLUG WIRE SETS — IGNITION WIRE	3
BULK WIRE AND CABLE	4
SHOP WIRE — LOOM AND CONNECTORS	5
BATTERY TERMINALS, LUGS, FILLERS, SHIMS AND TOOLS	6
NON-INSULATED SOLDERLESS TERMINALS	7
INSULATED SOLDERLESS TERMINALS	8
TERMINAL & WIRE ASSORTMENTS — KITS TOOLS — PLUG PROTECTORS	9
BATTERY BOOSTER CABLE SETS	10
BATTERY CLIPS CHARGING AND JUMPER SETS	11
EXTENSION CORDS & LIGHTS	12
BATTERY CHARGERS GROWLERS	13
ANALYZERS — CELL TESTERS — TIMERS BULBS and PLUGS	14

Phone HUmboldt 9-1500

Silver Beauty **Triple-A** SPECIALTY COMPANY

2835 N. WESTERN AVENUE • CHICAGO 18, ILLINOIS

TERMS: 2% – 10TH PROX. NET 25TH PROX.
Freight Allowed: 150 lbs. or over – Mixed Shipments
Prices, Discounts, Terms and Assortments Subject to Change Without Notice

FREE SALES DOUBLING DISPLAYS WITH MINIMUM CABLE ORDER



SUGGESTED FAST MOVING WALL DISPLAY ASSORTMENTS

NO. A-7 (19 PIECES) 1 GAUGE–WEIGHT 29 LBS.

(5) Straps	(14) Cables		DEALER
1-9S2	2-12W1	1-27W1	$24.95
1-11S2	2-14W1	1-30W1	
1-14S2	2-16W1	1-38W1	
1-17S2	2-20W1	1-41W1	
1-24S2	1-23W1	1-53W1	

NO. A-8 (36 PIECES) 1 GAUGE–WEIGHT 18 LBS.

(12) Straps	(24) Cables		DEALER
1-7S2	2-12W1	2-27W1	$44.95
3-9S2	3-14W1	2-30W1	
2-11S2	4-16W1	2-38W1	
2-14S2	4-20W1	1-41W1	
3-17S2	3-23W1	1-53W1	
1-24S2			

NO. A-9 (27 PIECES) 1 & 4 GAUGE–WEIGHT 19 LBS.

(8) Straps	(7) 1Ga. Cables	(12) 4Ga. Cables	DEALER
1-7S2	1-14W1	1-12W4	$29.95
2-9S2	1-16W1	2-14W4	
1-11S2	1-20W1	2-16W4	
1-14S2	1-23W1	2-20W4	
2-17S2	1-27W1	2-23W4	
1-24S2	1-30W1	1-27W4	
	1-41W1	1-30W4	
		1-53W4	

FREE METAL WALL DISPLAY! (Weight 3 Lbs.)

with orders of 25 Cables

10" x 18" – Holds up to 50 Pieces

SUGGESTED MOST POPULAR COUNTER DISPLAY ASSORTMENT

NO. A-10 (65 PIECES) 1 & 4 GAUGE–WEIGHT 50 LBS.

(26) 1 Gauge Cables			DEALER
1-15SS1	2-14W1	1-30W1	$74.95
1-19SS1	4-16W1	1-38W1	
1-24SS1	4-20W1	1-41W1	
1-32SS1	4-23W1	1-65W1	
2-12W1	2-27W1		
(13) Straps	**(26) 4 Gauge Cables**		
1-7S2	2-12W4	2-30W4	
3-9S2	3-14W4	2-53W4	
2-11S2	4-16W4	1-19SS4	
2-14S2	4-20W4	1-24SS4	
3-17S2	4-23W4	1-32SS4	
2-24S2	2-27W4		



FREE METAL COUNTER DISPLAY (Weight 23 Lbs.)

with orders of 50 Cables

11" x 45" High

Holds up to 150 Cables & Straps

Car specification chart provided with each display assortment

Silver Beauty

Triple-A SPECIALTY COMPANY

2835 N. WESTERN AVENUE • CHICAGO 18, ILLINOIS • Phone HUmboldt 9-1500

Terms: 2% Discount 10th prox. Net 25th of month. Freight Allowed on 150 lbs. or over – Mixed Shipments.

Prices, Discounts, Terms, Provisions and Assortments Subject to Change Without Notice.



BATTERY REPLACEMENT CABLES & STRAPS

PATENTED FLOWELD SOLID COPPER END TO END

(*) STAR BEFORE PART NUMBER INDICATES MOST POPULAR CABLES AND STRAPS FOR MINIMUM INVENTORY

No. 1 Gauge



	Part No.	Master Pkg.	Wt/Each (lbs.)	LIST	DLR.
	9-W-1	20	.43	1.92	.96
*	12-W-1	20	.50	2.10	1.05
*	14-W-1	20	.55	2.22	1.11
*	16-W-1	20	.62	2.34	1.17
*	20-W-1	20	.75	2.61	1.31
*	23-W-1	20	.78	2.79	1.39
*	27-W-1	20	.94	3.06	1.53
*	30-W-1	20	1.00	3.27	1.64
	34-W-1	20	1.11	3.54	1.77
	36-W-1	20	1.15	3.63	1.82
*	38-W-1	10	1.18	3.78	1.89
*	41-W-1	10	1.31	3.96	1.98
	48-W-1	10	1.50	4.41	2.11
*	53-W-1	10	1.62	4.74	2.37
	58-W-1	10	1.75	5.00	2.51
	65-W-1	10	1.94	5.46	2.73
	71-W-1	10	2.00	5.88	2.94
	85-W-1	10	2.60	6.75	3.39
	96-W-1	10	2.75	7.50	3.75



	15-SS-1	1	.47	2.10	1.01
*	19-SS-1	1	.56	2.25	1.13
*	24-SS-1	1	.68	2.61	1.31
	29-SS-1	1	.81	2.88	1.44
*	32-SS-1	1	.87	3.03	1.52
	49-SS-1	1	1.37	4.06	1.98

No. 4 Gauge

TRIPRENE BATTERY CABLES INDIVIDUALLY BOXED

	Part No.	Master Pkg.	Wt/Each (lbs.)	LIST	DLR.
	9-W-4	20	.30	1.56	.78
*	12-W-4	20	.34	1.68	.84
*	14-W-4	20	.36	1.77	.89
*	16-W-4	20	.36	1.80	.90
*	20-W-4	20	.43	1.98	.99
*	23-W-4	20	.50	2.07	1.04
*	27-W-4	20	.55	2.22	1.11
*	30-W-4	20	.57	2.31	1.16
	34-W-4	20	.62	2.43	1.22
	36-W-4	20	.65	2.55	1.28
*	38-W-4	20	.68	2.61	1.31
*	41-W-4	20	.71	2.73	1.36
	48-W-4	20	.81	2.97	1.49
*	53-W-4	20	.87	3.12	1.56
	58-W-4	20	.97	3.30	1.65
	65-W-4	20	1.00	3.54	1.77
	71-W-4	20	1.10	3.81	1.91
	85-W-4	20	1.30	4.29	2.15
	96-W-4	20	1.50	4.71	2.36

STARTER TO SOLENOID CABLES INDIVIDUALLY BOXED

	15-SS-4	1	.25	1.56	.78
*	19-SS-4	1	.31	1.71	.86
*	24-SS-4	1	.37	1.89	.95
	29-SS-4	1	.47	2.10	1.05
*	32-SS-4	1	.50	2.19	1.10
	49-SS-4	1	.75	2.79	1.40

2 GAUGE - BATTERY TO GROUND STRAPS

PACKED 5 TO BOX

7-S-2	5	.31	1.56	.78
9-S-2	5	.37	1.62	.81
11-S-2	5	.37	1.74	.88
14-S-2	5	.43	1.89	.95
17-S-2	5	.50	2.04	1.02
22-S-2	5	.56	2.28	1.14
24-S-2	5	.59	2.37	1.19
27-S-2	5	.65	2.61	1.31
36-S-2	5	.81	3.00	1.50

2 GAUGE - ENGINE TO GROUND STRAPS

PACKED 5 TO BOX

8-EG-2	5	.18	1.26	.63
12-EG-2	5	.25	1.47	.74
14-EG-2	5	.31	1.53	.77



PATENTED FLOWELD SOLID COPPER END TO END

WHY USE 1 GAUGE CABLES FOR 12 VOLT SYSTEMS?

12 VOLT BATTERIES were adopted for the lower amperage that goes with higher voltage allowing use of smaller 4 gauge cables. With increased electrical requirements, 12 volt systems now DRAW AS MUCH CURRENT AS OLDER 6–VOLT SYSTEMS. Therefore 1 gauge cables should be used for 12 Volt as well as 6 Volt systems.

1 GAUGE

BATTERY TO BATTERY CONNECTORS

INDIVIDUALLY BOXED

12BC-1

8-BC-1	1	.50	2.40	1.20
8-BC-1-A	1	.56	2.64	1.32



12-BC-1-A

12-BC-1	1	.62	2.64	1.32
12-BC-1-A	1	.68	2.91	1.46

(F)=NOT STOCKED AT ALL WAREHOUSES – *ORDER FROM FACTORY*

NEW

DELUXE UNIVERSAL SPARK PLUG WIRE SETS

Three Sets (4-6-8 Cyl.) FITS ANY CAR!



PATENTED UNIVERSAL DISTRIBUTOR VAPOR SEAL POSITIONS AT ANY ANGLE



INDIVIDUALLY BOXED

SILICONE TREATED NEOPRENE WIRE

PATENTED SPARK PLUG VAPOR SEAL POSITIONS AT ANY ANGLE

PATENTED PLUG TERMINAL CAN BE SET AT ANY ANGLE



Part No.	DESCRIPTION		Master Pkg.	Wt/Each (lbs.)	LIST	DLR.
	DELUXE UNIVERSAL SPARK PLUG WIRE SETS					
3407	All 4 cylinder cars and tractors	Best quality black neoprene shipped.	10	1.00	4.50	2.70
3607	All 6 cylinder engines	Other color and insulation available	10	1.50	5.63	3.37
3807	All 8 cylinder engines	at same prices when specified.	10	2.00	7.39	4.42
	STANDARD UNIVERSAL SPARK PLUG WIRE SETS					
2407	All 4 cylinder cars and tractors	Best quality black neoprene shipped.	10	.75	2.82	1.70
2607	All 6 cylinder engines	Other color and insulation available	10	1.00	3.55	2.13
2807	All 8 cylinder engines	at same prices when specified.	10	1.50	4.50	2.70
	 Opaque **7MM IGNITION WIRE**  Transparent					
3077	Lifetime Triprene for extremes in temp.		100'	3.75	14.05	8.45
3177	Neoprene steel conductor		100'	4.50	10.70	6.42
3277	Neoprene copper conductor		100'	4.50	10.70	6.42
1077	Black high-lacquer cotton braid		100'	4.0	12.25	7.34
1277	Red high-lacquer cotton braid		100'	4.0	12.25	7.34
2077	Transparent clear plastic		100'	3.75	10.70	6.42
2177	Transparent red plastic		100'	3.75	10.70	6.42
2277	Red opaque plastic		100'	4.75	10.70	6.42

IGNITION TERMINALS – SPARK PLUG & DISTRIBUTORS VAPOR SEALS

	Part No.	DESCRIPTION	Wgts.	Quant. Box	DLR.
	770	H.T. Term. 7/16"	1.8	100	1.20
	771	Straight Snap 1-1/16"	6.2	100	2.19
	772	Angle Snap	7.5	100	2.19
	773	Universal Snap	7.5	100	3.00
F	775	Thrust type Rajah	5.0	50	27.00
F	776	Spring Snap Rajah	5.0	50	30.00
F	777	Angle Snap Rajah	5.0	50	35.40
	77	Plug Protectors - 20 per card	10.5	400	15.00
	77E	8 Plug Protectors per bag	.5	8	Per Pack 1.20
	78	Distributor Protector	8.0	100	2.92
	79	Universal Dist. Protector	8.5	100	12.00
	79E	9 Dist. Protectors per bag	.5	9	Per Bag 1.20

IGNITION TERMINALS





NO. 773 – PATENTED SPARK PLUG TERMINAL

POSITIONS AT ANY ANGLE

Silver Beauty

Triple-A SPECIALTY COMPANY

2835 N. WESTERN AVENUE • CHICAGO 18, ILLINOIS • Phone HUmboldt 9-1500

100 Ft. Spools or Boxes - Bulk Wire & Cable

NEW AUTO-FEED PAK
Automatic feed from center.
Uses 1/3 less shelf space.

"TRIFLEX" PLASTIC INSULATED



1 Conductor — 2 Conductor — 3 Conductor

	Part No.	Gauge	Cond.	Dia.	STRANDING	Wt/ 100'	Master Pkg.	LIST 100 Ft.	DLR. 100 Ft.
	2918	18	1	.092	16 of #30	1.25	100'	2.65	1.59
	2916	16	1	.102	19 of #29	1.50	100'	3.20	1.92
	2914	14	1	.117	19 of #27	2.00	100'	4.22	2.54
	2912	12	1	.142	19 of #25	2.75	100'	6.00	3.60
	2910	10	1	.175	19 of #23	3.25	100'	8.80	5.28
F	2908	8	1	.217	19 of #21	6.25	100'	13.63	8.18
	2218	18	2	.242		2.75	100'	7.23	4.34
	2216	16	2	.266		3.75	100'	8.78	5.27
	2214	14	2	.288	Exceeds S.A.E.	5.00	100'	11.30	6.78
	2212	12	2	.342	Specifications.	7.00	100'	15.05	9.03
F	2210	10	2	.400	Longer Life,	9.75	100'	23.25	14.00
F	2318	18	3	.333	Impervious to	4.00	100'	12.75	7.65
F	2316	16	3	.360		4.75	100'	14.70	8.83
F	2314	14	3	.417	Oil, Acid,	7.00	100'	18.90	11.36
F	2312	12	3	.483	Moisture, Non-	10.00	100'	27.10	16.25

Aging. For All Instrument and Lighting Circuits.

25 FOOT COILS—EACH

Part No.	Gauge	Cond.	Dia.	Wgt. Master Pkg.	Master Pkg.	LIST	DLR.
2118	18	1	.092	2.00	10	1.00	.60
2116	16	1	.102	3.00	10	1.13	.68
2114	14	1	.117	4.00	10	1.38	.83
2112	12	1	.142	3.50	5	1.75	1.05

For 6 and 4 Gauge see Triprene Cable. For 20 to 8 gauge wire specify Red, Blue, Yellow, Green, Brown, Black, White. Unless specified Factory will choose colors.

25 FOOT COILS IN CLEAR PLASTIC DISPLAY BAG
NO. 2118-2116-2114 & 2112 ONLY

HEAVY DUTY RUBBER INSULATED COTTON BRAID – High Lacquer

ONE COND.

TWO COND.

("Stranding: Same as "Triflex" Above)

	Part No.	Gauge	Cond.	Dia.	STRANDING	Wt/ 100'	Master Pkg.	LIST 100 Ft.	DLR. 100 Ft.
	1918	18	1	.128	Black with Red	1.25	100'	4.30	2.56
F	1916	16	1	.138	Tracers. Extra	1.50	100'	4.95	2.97
	1914	14	1	.153	Heavy Coating of	2.00	100'	6.40	3.84
F	1912	12	1	.182	Finest Quality	2.75	100'	9.25	5.55
F	1910	10	1	.213	Lacquer Resists	3.25	100'	11.75	7.05
F	1908	8	1	.256	Aging and Wear.	6.25	100'	18.75	11.25

Solid Blue, Red, Green & Yellow Factory only.

D-26 WIRE & TERMINAL KIT

Consists of D-25 Solderless Terminal Kit, plus following Wire Assortments:

100'–2277 100'–2916
200'–2914 100'–2918

DEALER $21.95

TRIPRENE TRACTOR, TRAILER, MARINE, CHARGING & BOOSTER



1 Cond.

S2G



4 Cond.



6 Cond.



7 Cond.

Extra Flexible, Abrasion and Oil Proof. Super to Seine Twine, Neoprene, Rubber and Plastic. Best Booster Charging Wire Trailer Cable.

	Part No.	Gauge	Cond.	Dia.	STRANDING	Master Pkg.	Wt/ 100'	LIST 100 Ft.	DLR. 100 Ft.
F	3106	6	1	.295	259 of #30	100'	10.00	26.80	16.05
F	3906	6	1	.400	259 of #30	100'	15.0	31.80	19.05
	3104	4	1	.400	413 of #30	100'	19.0	41.00	24.60
	3904	4	1	.350	413 of #30	100'	16.0	39.25	23.55
	3102	2	1	.436	203 of #25	100'	28.0	65.30	39.15
	3101	1	1	.478	252 of #25	100'	32.0	71.30	42.70
	3001	0	1	.545	127 of #21	100'	40.0	102.00	61.30
	3002	00	1	.575	127 of #20	100'	48.0	128.00	76.90
F	3416	16	4	.456	26 of #30	100'	13.9	38.50	23.10
F	3414	14	4	.450	41 of #30	100'	14.5	41.20	24.80
F	3612	12	6	.510	65 of #30	100'	18.5	92.60	55.60
F	3616	16	6	.552	26 of #30	100'	21.9	48.70	29.30
F	3614	14	6	.580	41 of #30	100'	37.9	62.00	37.20
F	3712	12	7	.691	65 of #30	100'	39.0	106.75	64.00
F	S2G	2	1	.750	648 of #30	100'	24.0	61.25	36.80

FREE A-14 WIRE DISPLAY

NO. A-14 WIRE SUGGESTED ASSORTMENT Triflex Plastic Insulated Wire in 25 foot coils. 10 coils each of 18, 16 and 14 gauge plus 5 coils of 12 gauge.
DEALER $24.95

(F) = NOT STOCKED AT ALL WAREHOUSES – *ORDER FROM FACTORY*

SHOP WIRE - FABRIC LOOM - CONNECTORS

SHOP EQUIPMENT WIRE-RUBBER COVERED – 100 Foot Lengths – UL Approved

TYPE SP-1 SP-2



TYPE "SJ" 2 or 3 Conductor



TYPE "S" 2 or 3 Conductor





No. 439 - ADAPTER PLUG



NO. 461 - LOCK TYPE CONNECTOR. Push button lock and release.



NO. 462 TWO WIRE ARMORED PLUG.



NO. 463 - 3 WIRE ARMORED PLUG

NO. 464 THREE WIRE CONNECTOR. Has double wiping Contacts.



NO. 465 THREE-WIRE PLUG-IN RECEPTACLE. Converts double outlets to two 3-wire grounded outlets.



NO. 466 ATTACH-ON BULB SOCKET. Instant snap connection to any 14 or 12 Gauge A.C. or D.C. wires. Has quick release.

	Part No.	DESCRIPTION	PKG.	WT.	PRICE PER 100' LIST	PRICE PER 100' DLR.
F	4238	18 gauge, 2 cond. SP2	100'	3.5	8.05	4.85
	4218	18 gauge, 2 cond. SJ2	100'	4.9	10.60	6.35
	4318	18 gauge, 3 cond. 3SJ	100'	6.8	14.10	8.47
F	4236	16 gauge, 2 cond. SP2	100'	5.0	10.95	6.57
	4216	16 gauge, 2 cond. 2SJ	100'	6.0	14.05	8.43
	4316	16 gauge, 3 cond. 3SJ	100'	8.5	19.25	11.55
	4214	14 gauge, 2 cond. 2 SJ Not UL	100'	8.8	24.95	14.96
F	4224	14 gauge, 2 cond. 2S	100'	16.0	33.65	20.18
	4314	14 gauge, 3 cond. 3SJ Not UL	100'	10.5	32.50	19.50

[redacted] **FABRIC LOOM**

					PRICE PER 100' LIST	PRICE PER 100' DLR.
F	990	1/8" I.D.	100'	1.75	7.75	4.65
F	991	3/16" I.D.	100'	2.00	8.20	4.92
F	992	1/4" I.D.	100'	2.50	8.58	5.15
F	993	5/16" I.D.	100'	2.75	9.63	5.77
F	994	3/8" I.D.	100'	3.50	10.50	6.30
F	995	7/16" I.D.	100'	5.00	11.95	7.16
F	996	1/2" I.D.	100'	5.50	13.00	7.80
F	997	9/16" I.D.	100'	6.25	14.05	8.44
F	998	5/8" I.D.	50'	7.00	15.25	9.15
F	999	3/4" I.D.	50'	8.25	19.25	11.55
F	1000	1" I.D.	50'	9.50	26.50	15.90

ADAPTERS–PLUGS–SOCKETS–CONNECTORS – ON DISPLAY CARDS

	439	Adapter for 3-Cond. Cords	10	1.0	.75	.45
F	461	Lock-Type Connector	10	2.0	1.65	.99
F	462	2 Wire Armored Plug	10	1.7	.65	.39
F	463	3 Wire Armored Plug	10	1.7	.80	.48
F	464	3 Wire Connector	10	2.25	1.75	1.05
F	465	3 Wire Converter Plug	10	1.6	1.35	.81
F	466	Attach on Sockets	10	1.0	.40	.24

(F) = NOT STOCKED AT ALL WAREHOUSES – *ORDER FROM FACTORY*

FREE DISPLAY CARDS FOR FAST SALES!

For Numbers 439-461-462-463-464-465 & 466

NO. 461 LOCK TYPE CONNECTOR



NO. 465 THREE-WIRE PLUG-IN RECEPTACLE



NO. 466 ATTACH-ON BULB SOCKET

BATTERY TERMINALS - LUGS - FILLERS - HOLD-DOWNS - POST SHIMS - TOOLS

	Part No.	DESCRIPTION	Std. Pkg.	Wt/ Master	LIST	DLR.
		COPPER BATTERY TERMINALS				
F	0	Truck, Heavy	25	16.00	1.40	.84
F	2	Standard Elbow	25	7.50	.85	.51
	3	Auto-Marine-Radio - 10/Cd.	60	11.25	.75	.45
F	4	Universal, Heavy	25	8.75	.85	.51
F	5	Universal, Light	25	7.0	.70	.42
F	6	Universal, 3/0, 4/0	25	9.0	.85	.51
	8	Universal Solderless - 10/Cd.	60	13.75	.75	.45
	10	Add-A-Post	10	1.0	.65	.39
F	11	Straight Solder	25	7.0	.70	.42
F	12	1 & 2 Gauge Cable	25	7.0	.85	.51
F	14	4 & 6 Gauge Cable	25	6.0	.70	.42
F	15	1 & 2 Gauge Strap	25	7.5	.85	.51
	18	5/16 Bolt & Shoulder Nut	100	4.50	7.00	4.20/C
	19	5/16 Shoulder Nut only	100	1.25	3.50	2.10/C
		SOLID COPPER LUGS – 25 TO BOX – PRICE PER 100				
F	139	8 Ga. 3/16" Dia. Hole	25	.25	10.70	6.42
F	140	6 Ga. 3/16" Dia. Hole	25	.30	16.25	9.75
	141	4 Ga. 1/4" Dia. Hole	25	.50	18.50	11.10
	142	To 0 Ga. 5/16" Dia. Hole	25	1.0	33.00	19.80
	143	To 00 Ga. 3/8" Dia. Hole	10	.50	41.50	24.90
F	144	To 000 Ga. 3/8" Dia. Hole	10	1.0	67.50	40.50
		BATTERY POST SHIMS – FILLERS – HOLD-DOWNS – TOOLS				
	20	Post Shim	25	.50	.05	.03
	40	Post Cleaner	10	2.5	3.75	2.25
	41	Battery Tool Asst.	1	2.00	16.50	9.90
	42	Puller–Lifter	1	.50	6.65	3.99
	43	Pliers	1	.50	3.95	2.37
	44	Spreader	1	.75	5.90	3.54
	50	Filler	1	.25	1.80	1.08
	51	12" Lifter	1	.25	1.10	.66
	52	20" Lifter	1	.25	1.40	.84
	65	Hold Down - 7¼" x 9¼" Min. 7¼" x 13¼" Max.	20	16.00	3.15	1.89
	66	Hold Down - 5-5/8" x 10" Min. 5-5/8" x 14-1/4" Max.	10	8.75	2.90	1.74
	67	Hold Down - 4-3/8" x 19-7/16" Not Adj.	1	.9	2.70	1.62

(F) = NOT STOCKED AT ALL WAREHOUSES – *ORDER FROM FACTORY*



NO. 40 – DISPLAY CARD











UNIVERSAL HOLD-DOWNS







Silver Beauty
Triple-A SPECIALTY COMPANY
2835 NORTH WESTERN AVENUE – CHICAGO 18, ILLINOIS Phone HUmboldt 9-1500

NON-INSULATED SOLDERLESS & SOLDER TYPE TERMINALS

PRES-PAKS IN HANDY, CLEAR PLASTIC RE-USABLE CONTAINERS

BULK TERMINALS IN HANDY DURABLE BOXES

PRES-PAK – 10 PAKS PER CARTON

BULK BOX – 100 TO BOX 5 BOXES PER CARTON

PRES-PAKS-$1.00 DEALER — [Place E After Part No.]

	Part No.	Wire Size	Stud Size	Hole Size	Quan. Pres-Pak	Wgt. Per 1000	DEALER BULK BOX 1 to 4 Boxes	5 to 9 Boxes	10 or More			
F	110	22-16	4-6	5/32	40	1.8	2.19	1.98	1.79			
	111	22-16	4-6	5/32	40	1.8	2.19	1.98	1.79			
	112	22-16	8-10	13/64	40	1.8	2.19	1.98	1.79			
	113	22-16	12-¼	9/32	30	3.0	2.73	2.54	2.36			
F	120	16-14	4-6	5/32	40	1.8	2.19	1.98	1.79			
	121	16-14	4-6	5/32	40	2.5	2.19	1.98	1.79			
	122	16-14	8-10	13/64	40	2.5	2.19	1.98	1.79			
	123	16-14	12-¼	9/32	30	3.0	2.73	2.54	2.36			
	124	16-14	5/16	23/64	30	2.5	2.73	2.54	2.36			
	132	12-10	8-10	13/64	30	3.7	2.73	2.54	2.36			
	133	12-10	12-¼	9/32	25	5.5	3.66	3.30	2.97			
	134	12-10	3/8	3/8	25	5.5	3.66	3.30	2.97			
	211	22-16	4-6	5/32	40	1.8	1.98	1.79	1.61			
	221	22-16	4-6	5/32	40	2.5	2.19	1.98	1.79			
	222	16-14	8-10	13/64	40	2.5	2.19	1.98	1.79			
	232	12-10	8-10	13/64	30	3.7	2.73	2.54	2.36			
	312	22-16	8-10	13/64	40	3.7	2.19	1.98	1.79			
	322	12-10	8-10	13/64	40	2.5	2.19	1.98	1.79			
	411	22-16	4-6	5/32	40	1.8	1.98	1.79	1.61			
	422	16-14	8-10	13/64	40	2.5	2.19	1.98	1.79			
	510	22-16	Butt Connectors		50	1.8	1.73	1.55	1.40			
F	520	16-14			50	3.0	1.73	1.55	1.40			
F	530	12-10			40	4.3	2.19	1.98	1.79			
	720	16-14 Fits 723			50	2.3	1.80	1.62	1.46			
	721	16-14 Fits 722			50	2.5	1.89	1.71	1.55			
	725	Male - 22-12			40	3.0	2.19	1.98	1.79			
	726	Female - 22-14			40	2.5	2.19	1.98	1.79			

RING TONGUE TYPE



SPADE TYPE 211-232

FLAG TYPE TERMINAL 312-322



HOOK TYPE 411

BUTT CONNECTORS



510-520-530

SNAP PLUGS and RECEPTACLES



720-721



726

725

	Part No.	DESCRIPTION	Quan. In Box	Pkg. Wgt.	DLR. 100	
		SOLDER TYPE TERMINALS – WIRE HOLDERS				
F	116	Push Wire Clip	50	3.00	3.38	
F	117	Bolt on Wire Clip	100	3.00	3.38	
F	125	15/16" long - 1/4" hole	100	.50	3.00	
F	126	31/32" long - 3/16" hole	100	.25	2.02	
F	127	1½" long - 13/32" hole	100	.25	3.03	
F	128	9/16" long - 1/8" hole	100	.25	1.70	
F	129	1-1/8" long - 7/32" hole	100	.25	3.72	
F	130	1" long - 9/32" hole	100	.25	3.72	
F	729	For Stop Light Switch	100	.25	1.70	



116



117

PRIMARY SOLDER TERMINALS



729

FOR STOP LIGHT SWITCH



125-130

Silver Beauty
Triple-A SPECIALTY COMPANY
2835 N. WESTERN AVENUE • CHICAGO 18, ILLINOIS • Phone HUmboldt 9-1500

COLOR - CODED INSULATED SOLDERLESS TERMINALS

(22-16 RED) (16-14 BLUE) (12-10 YELLOW)

PRES-PAKS IN HANDY, CLEAR PLASTIC RE-USABLE CONTAINERS

BULK TERMINALS IN HANDY DURABLE BOXES

PRES-PAK – 10 PAKS PER CARTON

BULK BOX – 100 IN BOX
5 BOXES PER CARTON

PRES-PAKS-$1.00 DEALER — [Place E After Part No.]

	Part No.	Wire Size	Stud Size	Hole Size	Quan. Pres-Pak	Wgt. Per 1000	DEALER BULK BOX 1 to 4 Boxes	5 to 9 Boxes	10 or More
	N-110	22-16	4-6	5/32	20	1.8	4.05	3.65	3.29
	N-111	22-16	4-6	5/32	20	1.8	4.05	3.65	3.29
	N-112	22-16	8-10	13/64	20	1.8	4.05	3.65	3.29
	N-113	22-16	12-¼	9/32	17	3.0	4.77	4.29	3.86
	N-120	16-14	4-6	5/32	20	1.8	4.05	3.65	3.29
	N-121	16-14	4-6	5/32	20	2.8	4.05	3.65	3.29
	N-122	16-14	8-10	13/64	20	2.5	4.05	3.65	3.29
	N-123	16-14	12-¼	9/32	20	3.0	4.77	4.29	3.86
	N-124	16-14	5/16	23/64	17	2.5	4.77	4.29	3.86
	N-132	12-10	8-10	13/64	17	3.7	4.77	4.29	3.86
	N-133	12-10	12-¼	9/32	17	5.5	5.85	5.27	4.74
	N-134	12-10	3/8	3/8	15	5.5	5.85	5.27	4.74
	N-211	22-16	4-6	5/32	15	1.8	4.05	3.65	3.29
	N-221	22-16	4-6	5/32	20	2.5	4.05	3.65	3.29
	N-222	16-14	8-10	13/64	20	2.5	4.05	3.65	3.29
	N-232	12-10	8-10	13/64	20	3.7	4.77	4.29	3.86
	N-411	22-16	4-6	5/32	20	1.8	4.77	4.29	3.86
	N-422	16-14	8-10	13/64	20	2.5	4.05	3.65	3.29
	N-510	22-16	Butt Connectors		20	1.8	4.05	3.65	3.29
	N-520	16-14			20	3.0	4.05	3.65	3.29
	N-530	12-10			20	4.3	4.05	3.65	3.29
	N-725	Male Snap - 22-12			20	3.0	4.05	3.65	3.29
	N-726	Female Snap - 22-14			20	2.5	4.05	3.65	3.29
F	N-722	Fits 721-5/32	Insu-lated		30	3.5	2.73	2.54	2.36
F	N-723	Fits 720-3/16			25	–	3.37	3.03	2.73

(F) = NOT STOCKED AT ALL WAREHOUSES – *ORDER FROM FACTORY*

RING TONGUE TYPE



SPADE TYPE

211-232

HOOK TYPE

411

BUTT CONNECTORS



510-520-530



726 725



722-723

NO. 46 TRI-CRIMP SOLDERLESS TERMINAL CRIMPING TOOL. ATTACHES BOTH PRE-INSULATED AND BARE TERMINALS.

FREE METAL DISPLAY

NO. A-40 SOLDERLESS TERMINAL SUGGESTED ASSORTMENT

TERMINAL ASSORTMENTS & DISPLAYS - SERVICE KITS - SPARK PLUG PROTECTORS

Part No.	DESCRIPTION	Wgt. Each	LIST	DLR.	
46	Solderless terminal crimping tool for both insulated and non-insulated terminals. Free solderless terminal assortment packed with each tool	.75	6.25	3.75	
321	Ignition and solder terminal assortment.	1.00	5.00	3.00	
A39	Solderless terminal assortment of most popular terminals	.50	5.00	3.00	
D-23	Similar to D-25 except assortment of Terminals most commonly used in Radio and Television work.	5.00	18.75	11.25	
D-24	Same Terminal Assortment as D-25 except Terminals are insulated.	5.00	18.75	11.25	
D-25	Portable Solderless Terminal Kit in metal container. Includes #46 crimping tool and assortment of solderless terminals	5.00	18.75	11.25	
A-14	FREE metal wire display with assortment of 18, 16, 14 & 12 gauge plastic insulated wire in 25 foot coils	30 lbs.	42.00	25.20	
A40	FREE metal display with assortment of popular insulated and non-insulated solderless terminal Pres-Paks. Includes 2 - #46 Tools and 1-A-39	20 lbs.	–	49.95	
77	Spark plug protectors - 20 per display card	.5	–	3.00	



NO. 46 Crimping Tool with FREE Terminal Assortment

NO. A-39 – NEW TERMINAL ASSORTMENTS IN HANDY EIGHT COMPARTMENT PLASTIC BOX

***FREE* NO. 77 SPARK PLUG DISPLAY CARD**

Triple seal on ignition wire and plug – a complete water and water seal – Extra flexible bellows for straight or angle terminals.

Compounded from Triprene to withstand subzero to highest temperatures. Completely impervious to grease, oil and weather.



NO. 321 – NEW TERMINAL ASSORTMENTS IN HANDY EIGHT COMPARTMENT PLASTIC BOX

D25-PORTABLE SOLDERLESS TERMINAL KIT

BATTERY BOOSTER CABLE SETS

EVERY SET IN BEAUTIFUL DISPLAY BOX - 10 BOXES PER STANDARD CARTON

Extra flexible fine stranded copper cable FLOWELDED to heavy duty clips and insulated with exclusive triprene-impervious to oil, grease, acids, and extremes in weather. Tough, skuff resisting.

	Part No.	FEET	GA.	O.D.	DESCRIPTION (All Cables Are Fine Stranded Pure Copper)	MASTER PKG.	WT. EA.	LIST	DLR.
	80	10	4	.400	With No. 25 Solid Copper Clips	10	5.5	14.60	10.95
	81	12	4	.400	With No. 25 Solid Copper Clips	10	6.0	15.90	11.95
	82	10	4	.400	With No. 26 Copper Plated Clips	10	5.0	10.60	7.95
	83	12	4	.400	With No. 26 Copper Plated Clips	10	5.5	11.90	8.95
	84	8	6	.400	With No. 26 Copper Plated Clips	10	3.75	6.60	4.95
	85	12	6	.400	With No. 26 Copper Plated Clips	10	5.0	8.70	6.50
	86	8	6	.300	With No. 27 Solid Copper Clips	10	2.5	5.30	3.95
	87	12	6	.300	With No. 27 Solid Copper Clips	10	3.0	7.30	5.45
F	95	10	2	.436	Extra heavy duty booster cables for emergency connection to Industrial Machinery, Oil Field and Off-The-Road Equipment. A necessary tool for the maintenance of Industrial Equipment.	1	7.0	19.90	14.95
F	96	15	2	.436		1	9.5	25.30	18.95
F	97	20	2	.436		1	11.75	31.90	23.95
F	98	25	2	.436		1	14.75	37.30	27.95

NOTE: All 4 Gauge Stranding is 413 of No. 30 – All 6 Gauge Stranding is 259 of No. 20 – All 2 Gauge is 665 No. 30

(F) = NOT STOCKED AT ALL WAREHOUSES – *ORDER FROM FACTORY*

EXCLUSIVE FLOWELD CONSTRUCTION INCREASES CURRENT CARRYING CAPACITY ALLOWING MAXIMUM TRANSFER OF POWER





INDIVIDUAL CLIPS-JUMPER & STARTER SETS — SEE PAGE 11.



BATTERY CLIPS - CHARGING - TESTING
STARTER and JUMPER SETS

Part No.	DESCRIPTION	Master Pkg.	Wt/Pkg.	PRICE PER CLIP LIST	PRICE PER CLIP DLR.
	CLIPS - BOOSTER - CHARGING AND TESTING				
25	300 Amp. solid copper – 10 per card	2 Cds.	8.25	2.00	1.20
26	200 Amp. copper plated steel – 10 per card	2 Cds.	8.00	1.00	.60
27	150 Amp. solid copper – 10 per card	6 Cds.	7.75	1.00	.60
28	100 Amp. copper plated steel – 10 per card	6 Cds.	7.00	.60	.36
29	75 Amp. solid copper – 10 per card	6 Cds.	3.00	.60	.36
30	50 Amp. copper plated steel – 10 per card	6 Cds.	3.00	.40	.24
32	10 Amp. Alligator, copper plated – 40 per card	6 Cds.	4.25	.23	.14
	PLAIN STEEL CHARGING CLIPS				
33	10 Amp. steel – 25 per box	1	.50	.18	.11
34	25 Amp. steel – 10 per box	1	.75	.25	.15
35	50 Amp. steel – 10 per box	1	2.25	.63	.38
	STARTER AND JUMPER SETS			PRICE EACH	
70	15" Pin Connector – 10 per box	10	2.50	.63	.38
71	15" Post Connector – 10 per card	10	2.75	.68	.41
72	26" Post Connector – 10 per box	10	3.00	.85	.51
73	28" long two-piece Jumper Set packed in Poly Bag	1	.25	1.65	.99
74	6' Remote Control Switch with with heavy duty switch and handle	10	3.5	5.75	3.45
				PER CARD	
75	15" Clip Connector – 5 per card	5	1.50	5.63	3.38
76	26" Clip Connector – 5 per card	5	1.75	7.00	4.20



BATTERY CLIPS 25-30



ALLIGATOR CLIP 32



STEEL CHARGING CLIP 33 to 35



No. 70



No. 71-72



No. 74

No. 73



No. 75

BATTERY CLIP CARDS
No's. 25 thru 32

ALL CLIPS ON CARD
EVERY CARD A DISPLAY

Triple-A SPECIALTY COMPANY
2835 N. WESTERN AVENUE • CHICAGO 18, ILLINOIS • Phone HUmboldt 9-1500

EXTENSION CORDS and LIGHTS

Extra flexible. Resistant to oil, grease and scuffing. Plug molded to cord eliminates corrosion, and double wiping spring contacts give positive electrical current. **INDIVIDUALLY BOXED.**



NOTE: No's. 442 - 452 - 446 and 456 are STOCKED AT ALL WAREHOUSES – Order Others From Factory

TYPE			15 FOOT LENGTHS					25 FOOT LENGTHS					50 FOOT LENGTHS				
Ga.	Cond.	Type	Part No.	Wt. Lbs.	LIST	DLR.		Part No.	Wt. Lbs.	LIST	DLR.		Part No.	Wt. Lbs.	LIST	DLR.	
18	2	SJ	431	.9	2.82	2.12		441	1.5	4.06	3.05		451	2.5	6.30	4.72	
16	2	SJ	432	1.1	3.16	2.37		442	1.8	4.62	3.46		452	2.5	10.18	7.65	
14	2	S	434	1.5	8.88	6.65		444	3.5	8.10	6.07		454	6	13.42	10.10	
18	3	SJ	435	1.0	4.46	3.35		445	2.25	5.62	4.21		455	3.75	8.78	6.57	
16	3	SJ	436	1.2	4.96	3.72		446	2.5	6.52	4.89		456	4.5	10.58	7.93	
14	3	S	438	2.5	13.38	10.00		448	5.0	11.92	8.95		458	9.75	18.46	13.85	

EXTENSION LIGHTS – TWO AND THREE CONDUCTORS

Part No.	DESCRIPTION	Master Pkg.	Wt. Lbs.	LIST	DLR.	
439	Adaptor for 3-Cond. Cords – 10/Card	1	1.0	.75	.45	
449	25 ft. 2 Cond. Extension Light - Switch and Outlet in handle	2	8.0	5.00	3.75	
459	50 ft. 2 Cond. Extension Light - Switch and Outlet in handle	3	10.0	8.80	6.60	
469	25 ft. 3 Cond. Extension Light - Switch and Outlet in handle	3	8.0	7.32	5.50	





No. 439 - ADAPTER PLUG

EXTENSION CORD SELECTION CHART

CAUTION: Use proper gauge extension cord or you may burn out your equipment. 1. Check equipment for Ampere Rating (should be on equipment). 2. Measure the distance between equipment and outlet. 3. Check chart for correct extension cord gauge.

POWER SPECIFICATIONS

Full-load ampere rating of tool	0-2.00	2.10-3.4	3.5-5.00	5.10-7.0	7.10-12	12.1-16.0
Watt rating	250	400	600	850	1450	2000
Distance (one way)	Wire size (B & S gauges)					
25 ft.	18	18	18	18	16	14
50 ft.	18	18	18	16	14	12
75 ft.	18	18	16	14	12	10
100 ft.	18	16	14	12	10	8
200 ft.	16	14	12	10	8	6
300 ft.	14	12	10	8	6	4
400 ft.	12	10	8	6	4	4
500 ft.	12	10	8	6	4	2
600 ft.	10	8	6	4	2	2
800 ft.	10	8	6	4	2	1
1000 ft.	8	6	4	2	1	0

NOTE: if voltage is already low at the source (outlet), have voltage increased to standard, or use a much larger cable than listed in order to prevent any further loss in voltage.

BATTERY CHARGER SPECIFICATIONS

NOTE: FOR 220 VOLT CHARGER ADD 20%

AUTOMATIC 6 AND 12 VOLT MODELS 200-275-245
Fastest, safe, complete charging cycles—Fast to Slow to Finish to Off—Automatically. Instantly starts dead cars. Available with Polarity Protector when specified. Add "P" before Model No.

MULTIPLE CHARGER MODEL 1010 – Charges 6 to 60 Volts. Charges (1) to (10) 6 Volt or (1) to (5) 12 Volt batteries at full 10 Amps.



MODEL 200
100 Amps
38"x16"x15"

MODEL 275
75 Amps
23"x11"x10"

MODEL 245
40 Amps
24"x12"x9"

MODEL 1010
10 Amps
24"x12"x9"

AUTOMOTIVE AND MARINE BATTERY KITS—290 SERIES

Exclusive Automatic Mercury Safety Switch operates charger unit only when lid is fully open. Has built in Trickle System. Disconnect base for portability. Full 10 foot remote starter system. Snapout heavy duty solenoid for easy battery replacement. Handle supports full width of cabinet. Extra strong cabinet designed for use as an extra seat. Has handy convenience outlet. 12½"x7½"x11".

2 AMP MODEL
2B-UNDER-THE-HOOD CHARGER – Mounts on firewall – charges average battery overnight. Built in card holder. Trickle & High. Size 2 x 2¼ x 2-11/16.

MODEL 351 – AUTOMATIC BATTERY CHARGER CONTROL – Keeps battery at full capacity - Prevents faliure of Standby Equipment. 5" x 5" x 6"

4 AMP MODELS
104–204 and 304
For Car Owners. Charges average battery overnight. Size: 4" cube.

6 AMP MODELS
106–206 and 306
Charges average battery in 8 to 10 hours. Has accurate Rate of Charge Meter. 5" x 5" x 6" H

2 and 6 AMP MODELS
151–2 & 6 amp.
For motorcycles and smaller Batteries. Size 5"x5"x6" high.

12 AMP MODELS
112 and 212
Heavy Duty – Also Trickle Charges. 8¼"x6¼"x7¼"
Specially designed for activating dry charge batteries.

20 AMP MODELS
120–220–320
Instantly starts dead car. Highest safe fast charger. Charges 4 batteries overnight.
120–8¼x6¼x7¼ 320–10x7-5/8x8¾.
220–10x7-5/8x8¾

6 AMP MULTIPLE CHARGER Model 606
Charges 6 to 36 volts. Charges 1 to 6 6-volt, or (3) 12 volt batteries.
10"x7-5/8"x8¾".

BATTERY CHARGERS - GROWLERS ACCESSORIES

Designed in Accordance with Highest Industrial Standards

NOTE: Add 20% for 220 Volt Chargers

NO. 101-AUTO-CHARGE TIMER
Ideal for Chargers Lights, and Equipment Equipment

NO. 501-CIGARETTE LIGHTER CHARGING PLUG
Also ideal for trouble lights, etc.

NO. 500-RECTIFIER BULB
For extra long life.



NO. 440-GROWLER
Tests continuity and armatures 2" to 8".



NO. 450-ANALYZER
Quickly locates defects, has sensitive meter circuit and continuity tester.

NO. 153
POLARITY PROTECTOR
Prevents damage to alternator. Attached to charger.

NO. 154
POLARITY INDICATOR
6 & 12 VOLT. Warns against damage to alternator. Attached to Charger.

NO. 560
HYDROMETER
Has temperature computor. Gives accurate reading.

NO. 550-CELL TESTER

Precision high di scharge gives instant reading of battery condition. Large illuminated dial.

	Model	Description	Master Pkg.	Wt. Each	LIST	DLR.
		6 VOLT BATTERY CHARGERS				
	2A	Under Hood Charger	10	3.0	13.95	10.45
	104	4 Amp.	6	4.0	14.60	10.95
	106	6 Amp.	3	6.0	21.95	16.45
	112	12 Amp. & Trickle	2	14.25	35.95	26.95
	120	20 Amp. & Trickle	2	15.25	47.95	35.95
	151	2 & 6 Amp.	1	6.0	25.95	19.45
		12 VOLT BATTERY CHARGERS				
	2B	Under Hood Charger	10	3.25	13.95	10.45
	304	4 Amp.	6	6.0	19.00	14.25
	306	6 Amp.	3	8.0	25.95	19.45
	312	12 Amp. & Trickle	2	15.5	41.95	31.40
	320	20 Amp. & Trickle	2	21.0	61.95	46.40
		COMBINATION 6 and 12 VOLT CHARGERS				
	P200	Polarity Protected 100 Amp.	1	100	279.95	209.95
	200	100 Amp.	1	100	259.95	194.50
	204	4 Amp.	6	6.5	22.90	17.20
	206	6 Amp.	3	8.7	31.95	23.95
	212	12 Amp. & Trickle	2	15	49.95	37.40
	220	20 Amp. & Trickle	2	20.7	69.95	52.45
	P245W	40 Amp. Auto. Polarity Protected with Wheels	1	36.0	149.95	112.50
	245W	40 Amp. Auto. with Wheels	1	35.0	129.95	97.45
	P275	75 Amp. Auto. Polarity Protected	1	47.0	199.95	149.95
	275	75 Amp. Automatic	1	45.0	179.95	134.95
	606	6 Amp. 6 to 36 Volts	2	20.25	79.95	59.95
	1010	10 Amp. 6 to 60 Volts	1	35.0	126.00	94.50
	WHEEL KIT FOR 245 CHARGER – FROM FACTORY		1	2.00	7.90	5.95
		AUTOMOTIVE AND MARINE BATTERY KITS				
F	290	Case & Base	2	13.0	12.70	9.50
F	291	With 6 Volt Charger	2	17.0	26.60	19.95
F	293	With 12 Volt Charger	2	18.5	31.95	23.95
	294	12 Volt Charger, Polarity Protected. Remote switch & cables and generator leads	2	20	59.95	44.95
		CHASSIS CHARGERS FOR ABOVE AVAILABLE FROM FACTORY				
	Model	Description	Master Pkg.	Wt. Each	LIST	DLR.
		TIMERS – CHARGING PLUGS – RECTIFIER BULBS				
F	102	Auto-Charge Timer - One Socket - turns OFF - other turns ON after Set Time	1	2.25	13.30	9.95
	501	Cigarette Lighter Charging Plug for 6 & 12 Volts	1	.1	.80	.60
	500	6 or 10 Amp. Rectifier Bulb (Old No. 510)	10	.50	6.00	4.50
		POLARITY PROTECTORS & INDICATORS; AUTOMATIC CHARGE CONTROLS, GROWLERS – CELL TESTERS				
	153	Polarity Protector	5	2.5	19.95	14.95
	154	Polarity Indicator	5	.25	6.60	4.95
	440	Growler with Test Light Socket	2	11.5	27.90	20.95
	450	Growler with Meter and Break Down Tester	2	12.0	49.95	37.45
	550	Precision Battery Cell Tester -	6	2.25	21.90	16.45
	560	Precision Temp. Comp. Hydrometer		1.0	7.95	5.95

(F) = NOT STOCKED AT ALL WAREHOUSES–*ORDER FROM FACTORY*

Nationally Advertised in

- Motor
- Southern Automotive Journal
- Motor Service
- Super Service Station
- Jobber Topics
- Motor Age
- Implement Tractor
- Canadian Auto Trade

Look for these ads in your favorite national and regional automotive trade journals. And remember, more than 540,000 prospects all over the country will be seeing them, too.



Printed in U.S.A.